

Contents

VOLUME 134, NUMBER 1, SEPTEMBER 1988

PERSSON, P., EHMKE, H. & KIRCHHEIM, H. Influence of the renin-angiotensin system on the autoregulation of renal blood flow and glomerular filtration rate in conscious dogs	1
HANSELL, P., SJÖQUIST, M. & ULFENDAHL, H. R. The calcium entry blocker verapamil increases red cell flux in the vasa recta of the exposed renal papilla	9
KARLÉN, J. Renal response to parathyroid hormone in the weanling rat	17
TIDGREN, B. & HJEMDAHL, P. Reflex activation of renal nerves in humans: differential effects on noradrenaline, dopamine and renin overflow to renal venous plasma	23
BRATELL, S., FOLMERZ, P., HANSSON, R., JONSSON, O., LUNDSTAM, S., PETTERSSON, S., RIPPE, B. & SCHERSTÉN, T. Effects of oxygen free radical scavengers, xanthine oxidase inhibition and calcium entry-blockers on leakage of albumin after ischaemia. An experimental study in rabbit kidneys	35
BJERREGAARD, H. F. & NIELSEN, R. Trifluoperazine stimulated sodium transport through the apical surface of isolated frog skin	43
PERNOW, J., THORÉN, P., MILLBERG, B.-I. & LUNDBERG, J. M. Renal sympathetic nerve activation in relation to reserpine-induced depletion of neuropeptide Y in the kidney of the rat	53
AGNATI, L. F., FUXE, K., HÄRFSTRAND, A., LANG, R. E., UNGER, T. & GANTEN, D. Receptor autoradiographical evidence of a preferential reduction of binding sites for atrial natriuretic factor in renal papilla of the spontaneously hypertensive rat	61
BAYATI, A., KÄLLSKOG, Ö., ODLIND, B. & WOLGAST, M. Plasma elimination kinetics and renal handling of copper/zinc superoxide dismutase in the rat	65
FORSSELL, H., LIND, T. & OLBE, L. Comparative potency of carbachol, sham feeding, fundic distension and 16,16-dimethyl prostaglandin E ₂ as stimulants of human gastric bicarbonate secretion	75
HEMLIN, M., JODAL, M., LUNDGREN, O., SJÖVALL, H. & STAGE, L. The importance of the subepithelial resistance for the electrical properties of the rat jejunum <i>in vitro</i>	79
KJARTANSSON, J., LUNDBERG, T., SAMUELSON, U. E., DALSGAARD, C.-J. & HEDÉN, P. Calcitonin gene-related peptide (CGRP) and transcutaneous electrical nerve stimulation (TENS) increase cutaneous blood flow in a musculocutaneous flap in the rat	89
KJARTANSSON, J., LUNDBERG, T., SAMUELSON, U. E. & DALSGAARD, C.-J. Transcutaneous electrical nerve stimulation (TENS) increases survival of ischaemic musculocutaneous flaps	95
SELLDÉN, H. & RICKSTEN, S.-E. Effects of hypovolaemia or isoprenaline infusion on the sympathetic reflex response to PEEP ventilation in rats	101
ODDSSON, L. Co-ordination of a simple voluntary multi-joint movement with postural demands: trunk extension in standing man	109
DUNÉR-ENGSTRÖM, M. & FREDHOLM, B. B. Evidence that prejunctional adenosine receptors regulating acetylcholine release from rat hippocampal slices are linked to an N-ethylmaleimide-sensitive G-protein, but not to adenylate cyclase or dihydropyridine-sensitive Ca ²⁺ -channels	119
GRENHOF, J., UGEDO, L. & SVENSSON, T. H. Firing patterns of midbrain dopamine neurons: differences between A9 and A10 cells	127

SKARPHEDINSSON, J. O., HÅRDING, H. & THORÉN, P. Repeated measurements of cerebral blood flow in rats. Comparisons between the hydrogen clearance method and laser Doppler flowmetry	133
ÅGREN, P. L., SELSTAM, G., NORJAVAARA, E., KINNANDER, G. & KNUTSSON, A. Studies of the luteinization process in the rat: development of catecholamine response on progesterone production during the periovulatory period	143
WATTS, P. & CUYLER, C. Metabolism of the black bear under simulated denning conditions	149

Rapid communications

CHEN, Z., HEDNER, T. & HEDNER, J. Hypoventilation and apnoea induced by the substance P antagonist [D-Pro ² , D-Trp ^{7,9}]-SP in the ventrolateral rat medulla	153
ZETAN, N., WALLBERG-HENRIKSSON, H. & HENRIKSSON, J. The rat epitrochlearis muscle: metabolic characteristics	155
PERNOW, J. & LUNDBERG, J. M. Neuropeptide Y induces potent contraction of arterial vascular smooth muscle via an endothelium-independent mechanism	157
HELLSTEN, Y., AHLBORG, G., JENSEN-URSTAD, M. & SJODIN, B. Indication of <i>in vivo</i> xanthine oxidase activity in human skeletal muscle during exercise	159

VOLUME 134, NUMBER 2, OCTOBER 1988

ELLINGSEN, I., SYNDES, G., HAUGE, A. & NICOLAYSEN, G. Effects of exercise and CO ₂ inhalation on the breathing pattern in man	161
SAHLIN, K., REN, J. M. & BROBERG, S. Oxygen deficit at the onset of submaximal exercise is not due to a delayed oxygen transport	175
SJØGAARD, G. Muscle energy metabolism and electrolyte shifts during low-level prolonged static contraction in man	181
EVERTS, M. E., REITERSTØL, K. & CLAUSEN, T. Effects of adrenaline on excitation-induced stimulation of the sodium-potassium pump in rat skeletal muscle	189
HANSSON, H.-A., ENGSTRÖM, A. M. C., HOLM, S. & ROSENQVIST, A.-L. Somatomedin C immunoreactivity in the Achilles tendon varies in a dynamic manner with the mechanical load	199
JUEL, C. The effect of β_2 -adrenoceptor activation on ion-shifts and fatigue in mouse soleus muscles stimulated <i>in vitro</i>	209
RØED, A. Fatigue during continuous 20 Hz stimulation of the rat phrenic nerve diaphragm preparation	217
STENBERG, A., BOHMAN, S.-O., MORSING, P., MÜLLERSUUR, C., OLSEN, L. & PÆSSON, A. E. G. Back-leak of pelvic urine to the bloodstream	223
BUGGE, J. F., STOKKE, E. S. & KIIL, F. Haemodynamic regulation of renal prostaglandin and renin release	235
PETTERSSON, A., RICKSTEN, S.-E., HEDNER, J. & HEDNER, T. Differential haemodynamic effects of atrial natriuretic peptide (ANP) in normotensive and spontaneously hypertensive rats	247
LEPPÄLUOTO, J., ZEYTIN, F., UENO, N., YING, S.-Y., LING, N. & GUILLEMIN, R. Myelin basic protein present in the acid extracts of rat hypothalami releases insulin and glucagon from isolated rat pancreatic islets	253

CHRISTIANSEN, G., ILEBEKK, A., AAKESON, I. & KIIL, F. The release mechanism for atrial natriuretic factor during blood volume expansion and tachycardia in dogs	263
JUNKERGÅRD, J. & JÓNASSON, H. Intracerebroventricular and systematic saralasin used to investigate angiotensin-elicited activation of the pituitary-adrenocortical axis in the goat	271
ASK, J. A. & TYSSEBOTN, I. Positive inotropic effect on the rat atrial myocardium compressed to 5, 10 and 30 bar	277
ANDÉN, N.-E. & GRABOWSKA-ANDÉN, M. Stimulation of D ₁ dopamine receptors reveals direct effects of the preferential dopamine autoreceptor agonist B-HT 920 on postsynaptic dopamine receptors	285
EIDE, P. K. & HOLE, K. Increased behavioural response to intrathecal serotonin after lesion of serotonergic pathways with 5,7-dihydroxytryptamine seems not to be due to depletion of serotonin	291
JENSEN, K. E., THOMPSEN, C. & HENRIKSEN, O. <i>In vivo</i> measurement of intracellular pH in human brain during different tensions of carbon dioxide in arterial blood. A ³¹ P-NMR study	295
STEEN, J. B., GABRIELSEN, G. W. & KANWISHER, J. W. Physiological aspects of freezing behaviour in willow ptarmigan hens	299
HØJGAARD, L., BÜLOW, J. B., MADSEN, J. & CHRISTENSEN, N. J. Gastric mucosal electrical potential difference and blood flow during high FFA/albumin ratios in anaesthetized Göttingen mini-pigs	305

Rapid communications

WIKLUND, N. P., ÖHLEN, A. & CEDERQVIST, B. Inhibition of adrenergic neuroeffector transmission by endothelin in the guinea-pig femoral artery	311
HELLBERG, P. O. A., KÄLLSKOG, Ö., WOLGAST, M. & ÖJTEG, G. Effects of neutrophil granulocytes on the inulin barrier of renal tubular epithelium after ischaemic damage	313
FUXE, K., VON EULER, G. & AGNATI, L. F. Angiotensin II reduces the affinity of [³ H]para-aminoclonidine binding sites in membrane preparations from the rat dorsomedial medulla oblongata	317

VOLUME 134 NUMBER 3, NOVEMBER 1988

AARS, H., BRODIN, P. & BJØRNLAND, T. Sympathetic modulation of the jaw-opening reflex in anaesthetized rabbits	319
HUOPANIEMI, T., PERTOVAARA, A., JYVÄSJÄRVI, E. & CARLSON, S. Effect of naloxone on tooth pulp-evoked jaw-opening reflex in the barbiturate-anaesthetized cat	327
SECHER, N. H., RUBE, N. & ELMERS, J. Strength of two- and one-leg extension in man	333
GERDLE, B., WRETTLING, M.-L. & HENRIKSSON-LARSÉN, K. Do the fibre-type proportion and the angular velocity influence the mean power frequency of the electromyogram?	341
HULTBORN, H., LIPSKI, J., MACKEL, R. & WIGSTRÖM, H. Distribution of recurrent inhibition within a motor nucleus. I. Contribution from slow and fast motor units to the excitation of Renshaw cells	347
HULTBORN, H., KATZ, R. & MACKEL, R. Distribution of recurrent inhibition within a motor nucleus. II. Amount of recurrent inhibition in motoneurons to fast and slow units	363
REED, R. K. Transcapillary albumin extravasation in rat skin and skeletal muscle: effect of increased venous pressure	375

HANSSON, H.-A. & TUNHALL, S. Epidermal growth factor and insulin-like growth factor I are localized in different compartments of salivary gland duct cells. Immunohistochemical evidence	383
LINDBERG, F. & ANDERSSON, K.-E. Vasodilator responses to alpha-human-atrial natriuretic peptide in isolated omental and pulmonary arteries from rabbit and man	391
ZIMMERMAN, L., ALVSTRAND, A. & BERGSTRÖM, J. Elevated concentration of 5-hydroxytryptamine in ultrafiltrate of human liver vein plasma after infusion of amino acids	399
REED, R. K., LILJA, K. & LAURENT, T. C. Hyaluronan in the rat with special reference to the skin	405
EIDE, P. K., BERGE, O.-G., TJØLSEN, A. & HOLE, K. Apparent hyperalgesia in the mouse tail-flick test due to increased tail skin temperature after lesioning of serotonergic pathways	413
HANSELL, P., ANDE'N, N.-E., GRABOWSKI-ANDE'N, M. & ULFENDAHL, H. R. Atrial natriuretic factor, urinary catechol compounds and electrolyte excretion in rats during normal hydration and isotonic volume expansion. Influence of dopamine receptor blockade	421
SJÖGREN, A. & EDVINSSON, L. Vasomotor changes in isolated coronary arteries from diabetic rats	429
EDSTRÖM, A., KANJE, M. & RUSOVAN, A. Orthograde and retrograde axonal transport in the regenerating frog sciatic nerve show different sensitivities to vanadate	437
SANDVIK, A. K., KOFSTAD, J., HOLST, J. J. & WALDUM, H. L. Ionized calcium influences gastrin stimulated histamine release and acid secretion, but not histamine stimulated acid output in the totally isolated vascularly perfused rat stomach	443

Rapid communications

SCHÜTTEN, H. J., KAMP-JENSEN, M., OLESEN, K.-L. K., BACH, V. & ENGQUIST, A. Time relation between changes in central venous pressure and the secretion of atrial natriuretic peptide in humans	449
BJURHOLM, A., KREICBERGS, A., SCHULTZBERG, M. & LERNER, U. H. Parathyroid hormone and noradrenaline-induced enhancement of cyclic AMP in a cloned osteogenic sarcoma cell line (UMR 106) is inhibited by neuropeptide Y	451
LUNDVALL, J. & LÄNNE, T. Evidence for a much higher transcapillary hydrodynamic conductivity in the human forearm and lower leg than previously believed	453
SCHALLING, M., ARBORELIUS, L., HÖKFELT, T. & POST, C. Decrease in gene expression of substance P and thyrotropin releasing hormone (TRH) in rat medulla oblongata following treatment with an antidepressive drug	455

VOLUME 134, NUMBER 4, DECEMBER 1988

ANDERSSON, S., KRONSTRÖM, A. & TEIEN, D. Wall mechanics of the rat bladder. I. Hydrodynamic studies in the time domain	457
ANDERSSON, S., KRONSTRÖM, A. & HENTSCHEL, J. Wall mechanics of the rat bladder. II. Hydrodynamic studies in the frequency domain	463
TJÄLVE, H. & WILANDER, E. Localization of ¹²⁵ I-labelled α -r-atrial natriuretic peptide in rat tissues by whole-body and microautoradiography	467
HÄGG, A., LÖRELIUS, L.-E., MÖRLIN, C. & WIDE, L. Serial measurements of plasma renin activity, aldosterone and cortisol during percutaneous transluminal angioplasty of the renal artery in man	473
DELLE, M., RICKSTEN, S.-E. & THORÉN, P. Renal sympathetic nerve activity during morphine abstinence in sino-aortic baroreceptor-denervated rats	479

DELLE, M., THORÉN, P. & RICKSTEN, S.-E. Central haemodynamics during morphine abstinence in anaesthetized rats	493
LINDBOM, L., MIRHASHEMI, S., INTAGLIETTA, M. & ARFORS, K.-E. Increase in capillary blood flow and relative haematocrit in rabbit skeletal muscle following acute normovolaemic anaemia	503
NIELSEN, H. V., STABERG, B., NIELSEN, K. & SEJRSEN, P. Effects of dynamic leg exercise on subcutaneous blood flow rate in the lower limb of man	513
LARSSON, L., ÖRLANDER, J., ANSVED, T. & EDSTRÖM, L. Effects of chronic nicotine exposure on contractile enzyme-histochemical and biochemical properties of fast- and slow-twitch skeletal muscles in the rat	519
YAMAMOTO, Y., RUNOLD, M., PRABHAKAR, N., PANTALEO, T. & LAGERCRANTZ, H. Somatostatin in the control of respiration	529
DONNER, K., HEMILÄ, S. & KOSKELAINEN, A. Temperature-dependence of rod photoresponses from the aspartate-treated retina of the frog (<i>Rana temporaria</i>)	535
VEGA, F. V., CABERO, J. L. & MÄRDH, S. Inhibition of H,K-ATPase and Na,K-ATPase by DIDS, a disulphonic stilbene derivative	543
NIKLAASON, L.-G., GUSTAFSSON, B. I., NORDGREN, S., FASTH, S., HULTÉN, L. & DELBRO, D. Motor responses elicited by local electrical stimulation of the distal colon in the anaesthetized rat	549
SANDSTRÖM, P.-E. & SEHLIN, J. Evidence that an L-fucose-containing component in the β -cell plasma membrane is involved in the regulation of glucose-induced insulin release	557

Rapid communications

FLADBY, T. & JANSEN, J. K. S. Selective innervation of neonatal fast and slow muscle fibres before net loss of synaptic terminals in the mouse soleus muscle	561
DAGERLIND, Å. & SCHALLING, M. Localization of dopamine β -hydroxylase (DBH) and neuropeptide tyrosine (NPY) mRNA in the grey monkey locus coeruleus and adrenal medulla	563
PERSSON, H., ERICSSON, A., SCHALLING, M., REHFELD, J. F. & HÖKFELT, T. Detection of cholecystokinin in spermatogenic cells	565
GRENHOF, J., TUNG, C.-S. & SVENSSON, T. H. The excitatory amino acid antagonist kynurenate induces pacemaker-like firing of dopamine neurons in rat ventral tegmental area <i>in vivo</i>	567
LINDH, B., HAEGERSTRAND, A., LUNDBERG, J. M., HÖKFELT, T., FAHRENKRUG, J., CUELLO, A. C., GRAFFI, J. & MASSOULIÉ, J. Substance P-, VIP- and CGRP-like immunoreactivities coexist in a population of cholinergic postganglionic sympathetic nerves innervating sweat glands in the cat	569
ALVING, K., LACROIX, J. S. & LUNDBERG, J. M. Allergen induces vasodilatation in pig bronchial circulation via a capsaicin-sensitive mechanism	571
PERNOW, J., BOUTIER, J.-F., FRANCO-CERCEDA, A., LACROIX, J. S., MATRAN, R. & LUNDBERG, J. M. Potent selective vasoconstrictor effects of endothelin in the pig kidney <i>in vivo</i>	573
SCHIAFFINO, S., AUSONI, S., GORZA, L., SAGGIN, L., GUNDERSEN, K. & LOMO, T. Myosin heavy chain isoforms and velocity of shortening of type 2 skeletal muscle fibres	575
STJÄRNE, L., STJÄRNE, E., MSHGINA, M. & LUNDBERG, J. M. Neuropeptide Y may inhibit sympathetic transmitter secretion by an effect 'upstream' of varicosities	577
ÖHLÉN, A., THURESON-KLEIN, A., RAUD, J., HÖKFELT, T. & HEDQVIST, P. Calcitonin gene-related peptide in nerves of the hamster cheek pouch	579
AUTHOR AND SUBJECT INDEX	581
ERRATA	591